ELSEVIER

Toxicology 95 (1995) 207–208

TOXICOLOGY

Volume contents

Volume 95 (1995)

Adriamycin-induced hepatic and myocardial lipid peroxidation and DNA damage, and enhanced excretion of urinary lipid metabolites in rats (**Evidence is presented to support the hypothesis that adriamycin toxicity is mediated through formation of reactive oxygen species**)
D. Bagchi, M. Bagchi, E.A. Hassoun, J. Kelly, S.J. Stohs (Omaha, NE) 1–9

Protective effect of metallothionein on intracellular pH changes induced by cadmium (**Cadmium cytotoxicity may be initiated by alterations in plasma membrane ion transport systems**)
T. Koizumi, T. Yokota, S. Ohmori, H. Kumagai, K.T. Suzuki (Chiba, Japan) 11–17

A hypothesis for cyanide-induced tonic seizures with supporting evidence (**Cyanide neurotoxicity, mediated in part by ATP depletion, may also be reduced by inhibiting calcium-dependent processes in the nerve endings**)
H.-a. Yamamoto (Ibaraki, Japan) 19–26

CYP1 induction, binding to the hepatic aromatic hydrocarbon receptor and mutagenicity of a series of 11-alkoxy cyclopenta[*a*]phenanthren-17-ones: a structure activity relationship (**The short substituents, particularly methoxy, are most active in all three parameters**)
G.W. Boyd, M.M. Coombs, C. Ioannides (Surrey, UK) 27–35

Behavioural effects of norpethidine, a metabolite of pethidine, in rats (**A descriptive report on the distribution and actions of demethylated pethidine**)
J.L. Plummer, G.K. Gourlay, P.L. Cmielewski, J. Odontiadis, I. Harvey (Bedford Park, South Australia) 37–44

Effects of ochratoxin A upon early and late events in human T-cell proliferation (**As a late event DNA synthesis is inhibited while intracellular calcium and protein kinase C, is measured as early parameter, are unaffected**)
F.C. Størmer, T. Lea (Oslo, Norway) 45–50

The effect of implantation of osmotic pumps on rat thyroid hormone and testosterone levels in the plasma, an implication for tissue 'S' phase studies (**Triidothyronine, thyroxine and also testosterone plasma levels are decreased by s.c. implantation of osmotic pumps**)
I. Wyatt, C.T. Coutts, P.M. Foster, D.T. Davies, C.R. Elcombe (Macclesfield, UK) 51–54

The effect of sodium fluoride at prophylactic and toxic doses on renal structure and function in the isolated perfused rat kidney (**Original and reviewed data show that only very high doses of fluoride cause renal damage**)
C.C. Willinger, I. Moschèn, S. Kulmer, W. Pfaller (Innsbruck, Austria) 55–71

Induced regenerative cell proliferation in livers and kidneys of male F-344 rats given chloroform in corn oil by gavage or ad libitum in drinking water (**Chloroform given by gavage produces more severe liver and kidney toxicity and a different pattern of cell regeneration in the kidney than when given in the drinking water**)
J.L. Larson, D.C. Wolf, B.E. Butterworth (Research Triangle Park, NC) 73–86

Human chorionic gonadotropin protects Leydig cell function against 2,3,7,8-tetrachlorodibenzo-*p*-dioxin in adult rats: role of Leydig cell cytoplasmic volume (**Protection is accomplished by maintaining the Leydig cell cytoplasm volume**)
C.E. Wilker, T.H. Welsh Jr., S.H. Safe, T.R. Narasimhan, L. Johnson (College Station, TX) 93–102

0300-483X/95/$09.50 © 1995 Elsevier Science Ireland Ltd. All rights reserved

Cynomolgus monkeys (*Macaca fascicularis*) in preclinical immune function safety testing: development of a delayed-type hypersensitivity procedure (**The procedure was reproducible, minimally invasive, allowed repeated measurements and paralleled reactions observed in humans**)
M.R. Bleavins, F.A. de la Iglesia (Ann Arbor, MI) 103–112

Comparative studies on the pharmacokinetics of hydrophilic prolinedithiocarbamate, sarcosinedithiocarbamate and the less hydrophilic diethyldithiocarbamate (**The metabolism of these antitoxic substances in the rat is described**)
N. Frank, A. Christmann, E. Frei (Heidelberg, Germany) 113–122

Effect of atropine and bispyridinium oximes on respiratory and circulatory function in guinea-pigs poisoned by sarin (**A new bispyridinium oxime in combination with atropine counteracts sarin effects**)
F. Worek, T. Kirchner, L. Szinicz (Garching, Germany) 123–133

Influence of hexachlorocyclohexane on phosphoinositides in rat erythrocyte membranes and brain (**Chronic treatment lowers phosphoinositides in both tissues but increases their metabolic conversion**)
D. Agrawal, A. Subramoniam, F. Afaq (Lucknow, India) 135–140

Time-course of toxicity of reactive sulfonamide metabolites (**Nitroso derivatives appear to be important metabolites in sulfonamide hypersensitivity reactions**)
M.J. Rieder, R. Krause, I.A. Bird (London, Ontario) 141–146

Effect of piroxicam on the nephrotoxicity induced by ochratoxin A in rats (**Piroxicam reduces the toxic effects of ochratoxin A on the kidney**)
I. Baudrimont, M. Murn, A.M. Betbeder, J. Guilcher, E.E. Creppy (Bordeaux, France; Novo Mesto, Slovenia) 147–154

Mitochondrial Ca^{2+} overload in primary cultures of rat renal cortical epithelial cells by cytotoxic concentrations of cyclosporine: a digitized fluorescence imaging study (**Cyclosporine cytoxicity may be mediated through a loss of energy supply following alterations in Ca homeostasis**)
T. Jiang, D. Acosta, Jr. (Austin, TX) 155–166

Effects of *meso*-2,3-dimercaptosuccinic acid or 2,3-dimercaptopropane 1-sulfonate on beryllium-induced biochemical alterations and metal concentration in male rats (**The chelating agents counteract the biochemical actions of beryllium and increase its decorporation**)
S.J.S. Flora, S. Mathur, R. Mathur (Gwalior, India) 167–175

Immunotoxicology

The effects of acute exposure to 2,3,7,8-tetrachlorodibenzo-*p*-dioxin on glioma-specific cytotoxic T-cell activity in Fischer 344 rats (**Glioma-specific cytotoxic T-cell activity of Fischer 344 rats was only marginally affected by a single i.p. dose of TCDD**)
C.D. Rice, R.E. Merchant, T.C. Jeong, J.B. Karras, M.P. Holsapple (University Township Mississippi, MS; Richmond, VA) 177–185

Effect of TNFα production inhibitors BRL 61063 and pentoxifylline on the response of rats to poly I:C (**The TNFα production inhibitors BRL 61063 and pentoxifylline have little or no effect on the Poly I:C-induced candidacidal activity of rat broncho-alveolar cells**)
J.M. Kaplan, D.J. Herzyk, E.V. Ruggieri, J. O'Leary Bartus, K.M. Esser, P.J. Bugelski (King of Prussia, PA) 187–196

Book Review 197–198
Contents of Journals Relating to Toxicology 199–200
Author index 201
Subject index 202–205
Volume contents 207–208
Instructions to authors 209–210